





PASSION FOR PARTS





USCO SpA


ITR RUBBER PADS
(CLIP ON)




Codice	Applicazione	Passo catena	Dimensioni												
			A	B	C	D	E	F	G	H	I	L	W	X	
RP101/300	20-30 q.li	101							18	50	32		300	70	8
RP101/320	20-30 q.li	101							18	48	32		320	70	8,5
RP101/350	20-30 q.li	101							18	50	32		350	70	8,5



Codice	Applicazione	Passo catena	Dimensioni												
			A	B	C	D	E	F	G	H	I	L	W	X	
RP135/400	40-45-50 q.li	135	124	51	36	32	15	18	82	40	13	403	109	8	
RP135/450	40-45-50 q.li	135	147	53	35	28	18	21	82	40	12	450	109	8	
RP140/300	60-70-75 q.li	140	74	50	38	30	22	18	85	40	15	300	106	9	
RP140/400	60-70-75 q.li	140	124	50	38	30	22	18	85	40	15	400	106	9	
RP140/450	60-70-75 q.li	140	150	50	39	32	21	18	86	40	15	452	108	9	
RP140/500	60-70-75 q.li	140	173	51	38	32	21	18	86	40	14	502	106	9	



Codice	Applicazione	Passo catena	Dimensioni											
			A	B	C	D	E	F	G	H	I	L	W	X
RP154/450E	60-80-90 q.li	154	140	63	44	24	37	23	102	48	16	450	131	7,2
RP154/450G	90-120 q.li	154-160	130	70	52	32	28	24	104	56	18	452	138	9,5
RP171/500	90-150 q.li	160-171	154	72	49	32	24	25	105	44	11	501	128	11,2
RP171/500HD	90-150 q.li	160-171	154	72	49	32	24	25	105	44	11	501	128	13,2
RP171/600	90-150 q.li	160-171	204	72	49	32	24	25	105	44	11	601	128	11,2
RP171/600HD	90-150 q.li	160-171	204	72	49	32	24	25	105	44	11	601	128	13,2
RP171/700	90-150 q.li	160-171	245	81	49	32	24	25	105	44	11	701	128	11,2
RP171/700HD	90-150 q.li	160-171	245	81	49	32	24	25	105	44	11	701	128	13,2
RP175/500	100-150 q.li	171-175	155	69	52	32	27	23	105	57	16	501	141	11,2
RP175/500HD	100-150 q.li	171-175	155	69	52	32	27	23	105	57	16	501	141	13,2
RP175/600	100-150 q.li	171-175	215	61	50	34	27	22	103	55	15	601	140	11,2
RP175/600HD	100-150 q.li	171-175	215	61	50	34	27	22	103	55	15	601	140	13,2
RP190/500	180-200 q.li	190	145	82	49	40	30	26	121	60	18	501	160	11,2
RP190/500HD	180-200 q.li	190	145	82	49	40	30	26	121	60	18	501	160	13,2
RP190/600	180-200 q.li	190	187	85	50	38	31	26	113	64	18	601	162	11,2
RP190/600HD	180-200 q.li	190	187	85	50	38	31	26	113	64	18	601	162	13,2
RP190/700	180-200 q.li	190	240	81	60	38	27	24	110	66	17	701	161	11,2
RP190/700HD	180-200 q.li	190	240	81	60	38	27	24	110	66	17	701	161	13,2



Codice	Applicazione	Passo catena	Dimensioni												
			A	B	C	D	E	F	G	H	I	L	W	X	
RP140/310SS	30-50 q.li	140	325	305						47	29		361	85	12
RP140/350SS	30-50 q.li	140	365	345						47	29		361	85	12
RP140/360SS	30-50 q.li	140	375	355						47	29		361	85	12
RP140/400SS	30-50 q.li	140	415	395						47	29		361	85	12
RP140/450SS	30-50 q.li	140	465	445						47	29		361	85	12